



About us ZD19

WELCOME







COLD ROLLED, HARDENED & TEMPERED



Welcome

Hugo Schmitz looks back on a tradition of more than 150 years. Since the begining of 2017 we are a part of the Risse + Wilke company group and would like to introduce ourselves to our customers. Besides the two cold rolling mills and the hot rolled slit strip company, we offer you high quality hardened and tempered strip steel in our plant in Hagen-Hohenlimburg. On our annealing furnaces and the connected plants, we are able to produce numerous qualities with the by the customer desired treatment condition, surface finish, edge form and grade.

Your Hugo Schmitz team

SIZE RANGE

Thickness: 0,30 - 4,00 mm* Width: 5,00 - 400 mm* * depending on profile

Bars:

Width: max. 400 mm Length: 800 - 5000 mm Other lengths on request

QUALITIES

- Cold rolled steels, alloyed and unalloyed
- Spring steels acc. to DIN EN 10132-4
- Heat-treatable steels acc. to DIN EN 10132-3
- Tool steels acc. to DIN EN ISO 4957
- Cold forming steels acc. to EN 10139

TOLERANCES

According to DIN EN 10140 Special tolerances on request

CONDITIONS OF SUPPLY

- single (pancake)
- oscillated (ribbon)
- spools
- cut lengths

SURFACE:

A - anealed

LC - skin passed

CR - rolled to tensil (hardness)

QT - quenched & tempered

EDGES

- slit edges (with minimum burr)
- deburred edges
- rolled edges
- round mill edges
- rounded edges (skiving)
- sharp rolled edges
- edges as per design (on request)

Company group:

Cold rolled steel strip

Hot rolled slit strip

Cold rolled hardened & tempered

Special steel for gang saws













DELIVERABLE SURFACES

2019 Range of production

SURFACE FINISHES

- bright rolled
- grey-blue (scaleless blue)
- grey bright
- bright hardened
- polished surface
 - fine polished
 - ground
- tempered to colour
- galvanized surface



White polished surface (brush polished)

Shiny, smooth surface, obtained by brush polishing



Cold rolled

Bright surface finish



Scaleless Blue (Greyblue)

Surface with slight oxide film without guarantee of a specific evenly colour



Bright hardened surface

Matt bright surface finish with slight surface streaks (die scars)



Leather polished

Bright, consistent grinding structure obtained by leather polishing; chracteristical surface for saw applications



Blue polished

Bright, polished surface, obtained by controlled tempering with liquid salt, applicable in different blue evenly colours/nuances



Yellow / Straw polished

Bright, polished surface, obtained by controlled tempering, applicable in different yellow (straw) evenly colours/nuances

Company group:

Cold rolled steel strip

Hot rolled slit strip

Cold rolled hardened & tempered **Q** Hugo Schmitz Kaltwalzwerk · Härterei

Special steel for gang saws











STEEL STRIP FOR SAW BLADES



HAND WORKSHOP TOOLS



STEEL STRIP FOR SPRING STEEL



BENDING / STAMPING PARTS

Special steel 2019

*GRADES	
C 60	S

C 67 S C 75 S

C 85 S C 90 S

C 100 S C 125 S

48 Si 7

56 Si 7

51 CrV 4

80 CrV 2

*please inquire for other grades



- grey-blue (scaleless blue)

- bright hardened surface

- leather polished

 white polished surface (brush polished)

- blue polished

- yellow / straw polished



C 55 E C 55 S

C 60 E

C 60 S

C 67 S C 75 S

C 85 S

SURFACE FINISHES

- bright hardened surface

- leather polished

- electrogalvanised

- blue polished

- yellow / straw polished

- white polished surface (brush polished)

- chromated













Hot rolled slit strip

Cold rolled hardened & tempered

Special steel for gang saws














ROLLED FROM ROUND WIRED ROD AND MORE ...

Special steel ZD 19



*GRADES

C 55 E C 55 S C 60 E C 60 S C 67 S C 75 S C 85 S C 90 S

42 CrMo 4

51 CrV 4

58 CrV 4

SURFACE FINISHES

- grey-blue (scaleless blue)
- bright hardened surface
- white polished surface (brush polished)
- blue polished
- yellow / straw polished

SURFACE:

A - anealed

LC - skin passed

CR - rolled to tensil (hardness)

QT - quenched & tempered



DELIVERABLE

- Packaging
- Spools
- cut lengths



^{*}please inquire for other grades

KONTAKT



Contact 2019



GESCHÄFTSFÜHRUNG BETRIEBSLEITUNG VERTRIEBSLEITUNG +49 (0) 2334/9589-0

+49 (0) 2334/9589-31

+49 (0) 2374/935-273

MANAGING DIRECTION
PLANT MANAGEMENT
SALES DIRECTION





WWW.HUGO-SCHMITZ.DE



HUGO SCHMITZ GMBH & CO. KG ELSEYER STRASSE 47-51, D-58119 HAGEN Tel.: +49 (O) 2334/9589-0 FAX: +49 (O) 2334/52773

INFO@HUGO-SCHMITZ.DE



ANFAHRT

